
2015

1674

60

2022 8

2023 1 1

1674

16 2008 2 1

9

2 2019 9 1

10

30 2015 5 29

80

2015 7 1

11

44

BOOM

[2011]80 2015 8 19

23 20 1 20 30

24 [2011]95 2011 7 1

25 [2011]142 2011 7 1

26 [2016]8 2016 2 5

27 2019 107

2019 10 28

28 341 2021

5 18

29 OIJ 9

[p

5 45

BOOM

1.2.2.

1	GB50156-2021	
2	GB 6944-2025	
3	GB 12268-2025	
4	GB 18218-2018	
5	GB 17914-2013	
6	GB 55036-2022)	
7	GB 50058-2014	
8	AQ 3009-2007	
9	GB/T 6441-1986	
10	GB/T 13861-2022	
11	GB 50016-2014 2018	
12	GB 50140-2005	
13	GB 55037-2022	
14	GB 50057-2010	
15	GB 12158-2024	
16	GB/T 50610-2010	
17	GB20952-2020	
18	GB 50395-2007	
19	GB/T 29639-2020	
20	(GB/T12801-2008)	
21	(GB 5083-2023)	
22	YJ/T 9007-2019	
23	(AQ 3010-2022)	
24	AQ 3018-2008	
25	GB30871-2022	
26	XF/T 3004-2020	
27	-	SH/T

3178 2015

29

30

3 3


FB/

1



0040.1- 3

//

CX



% %



3

4

5

6

7

8

40.5%

82%

54%

101.6Kpa

658mm

4.6m/s

25.7m/s

23.4d

15.0cm

1.17m

7


0.10g

2.3

6.1.

10.7m



b



2-1



2-2



& %

a

				6	38
	2 H=6m		-	5	29.7
				6	41.3
				3	39
				6	29.1
	1 H=6m		-	5	13.2
				6	44
	2 H=6m		-	5	35.6
				6	40.8
				3	39.8
				6	23
	1 H=6m		-	5	22
				6	47.2
	2 H=6m		-	5	20
				6	60
				3	22
				; 6) \$%) *! &\$&%	
("\$" (

2.4

2-3


& '

1			160m ²				
2			204m ²				H=6m

2-4

& (

1	2	30m ³	-		SF
2	2	30m ³	-		SF
3	2	SK52QF222K			
4	2	SK52QF222K			
5	4	TLS2			
6	1	UZK-SA-LD			1
					1
7	12		-	6	4
					4m 2
					4m
8	1	-	-		
9	2	-	-		(©



2.5

3

1

2.6

, a "



& '

& (

&)

2.7

2.7.1

1

2026 4 5

4

2.7.2

1

2

a.

b.

c.

5

3

4

380/220V

TN-S


UPS

5

5

6

4
8kg 4 5kg CO₂ 8kg 4 2
2 3m³ 35kg
7
6 4m 2 12 4
4m



3.



3.1

3.1.1

GB18218-2018

1

1

Q_1 $Q_2 \dots$ Q_n

t

23

60

3-1

3-1

1		200t
2		5000t

øEi.Á'RT...j 3'5 FÖ P -

60m³ È

0.75

45t

60m³

0.8

m \$

∇

∇

5

1

30

2

15min

50m

300m

1674

-18

=1 0.87 0.9

282-338

0.6%~7.2%

50 -35 **I** 5 0 -10 45 60 -20

3.2.2

6		
7		

3.3.1

1

£A

ë

3.3.6

3.337

ê

2m

2m

†

б „S) SE ©

4.

4.1

8

1

2

3

4

5

6

7

8

4.2

5.

8

5-1

)!%

1

2

3

4

i

VOV", =',

!

0

%

0

32

	8		
	9		
	10		
	11		
	12		
	13		
	14		
	15		
	16		
	17		
	18		
	1		
	2		
	3		
	1		
	1		
	2	GB/T29639-2020	
	3		
	1		
	2		
	3		

)!'

1

GB50156-2021
3.0.4

2

GB50156 3.0.9

GB50156-2021
3.0.9

30m³

3


GB50156-2021
3.0.25

4.0.4


4.0.4

4

GB50156-2021



GB50156-2021
5.0.13



10⁹

10⁹

S

GB50156-2021

6.1.7



A=0.04Vt

6.

11.2

GB50156-2021

6.1.8

SF

7



SF
r "é 7Ö# •1Ñ

GB 50156

6.1.9

8

4mm

80mm

	4		GB50156-2021 6.2.4		
	5		GB50156-2021 6.2.5		
	1		GB50156-2021 6.3.1		
	2		GB50156-2021 6.3.2		
	3		GB50156-2021 6.3.3		
	4	100mm	GB50156-2021 6.3.4		

	<p>8</p> <p>100mm T</p> <p>50mm 45°</p> <p>200mm</p> <p>150mm</p> <p>200mm</p>	<p>GB50156-2021 6.3.8</p>	<p>100mm</p> <p>45°</p> <p>150mm</p>	
	<p>9</p> <p>4m</p> <p>2m</p>	<p>GB50156-2021 6.3.9</p>	<p>4m</p>	
	<p>10</p> <p>50mm</p>	<p>GB50156-2021 6.3.10</p>	<p>50mm</p>	
	<p>11</p> <p>2KPa~3KPa</p> <p>1.5KPa~2KPa</p>	<p>GB50156-2021 6.3.11</p>		
	<p>12</p> <p>GB/T8163</p>	<p>GB50156-2021 6.3.12</p>		





			0.5m	
17		GB50156-2021 6.3.18		
18	6.3.12			
1	2.8m/s			
2		GB50156-2021 6.3.19		
19	GB/T21447	GB50156-2021 6.3.20		
20		GB50156-2021 6.5.1	SF	
21	GB50108			
	200mm 500mm	GB50156-2021 (6.5.2	SF	

22	<p>100mm 4mm</p> <p> 200mm</p> <p> 10mm 30mm</p>	<p>GB50156-2021 6.5.3</p>	SF	
23		<p>GB50156-2021 6.5.4</p>		
24	<p> 6.3</p> <p>5mm</p> <p> 5%</p>	<p>GB50156-2021 6.5.5</p>		
25	<p> 3.5mm</p>	<p>GB50156-2021 6.5.6</p>	3.5mm	

)!)

1
2
1 5kg
6L
1
15m
2 5kg
2 2
35kg
1



AQ3010-2

4.4

AQ3010-2

4.4

2

3

"

"

'

XF/T 3004-2020

8.1

4

"

"

"

"

4

4.5m
4.5m

5m

GB50156-2021
13.1.4

3m



3

5.0.8

1

GB50156-2021

13.5.1

2.

1

2

)! +

1

140kw

E-~~DE~~

2m

20

20

11

9

)! -

	5	5	0	0
	31	31	0	0
	22	17	0	5
	45	38	0	7

	8	8	0	0
	28	27	0	1
	16	9	0	7
	20	11	0	9
	175	146	0	29

5-9

175

29

146

1

1

8kg

5kg

4

8

2

6.

1

ε Ε ε λ

ρ

σ

1.
GB50058-2014

1 0

2 1

3 2

2. 1

3. 1

1 1

2 4.5m 3.0m


0.15m

3

3.0m

1.5m

2



2

5.

3

1

0

2 ()

1.5m(0.75m)

0.5m

1 ;

3

()

1.5m

1m

3.0m(2.0m)

1.5m

2 ;

4

1

lm
